


Conversion Varnish Product Guide

Enhanced Beauty & Protection

finishworks.com





All FinishWorks premium conversion varnishes:

- ✓ Provide excellent moisture resistance
- Offer a complete high-solids coating system
- ✓ Provide outstanding UV stability
- Meet or exceed KCMA standards
- Are ready-to-spray
- Are formulated for demanding environments, such as kitchen and bath cabinetry, residential furniture, and millwork.
- Have countless stunning colors and finishes available



Scan the QR code for data sheets on our Conversion Varnish product lines



IMAXIMUM BEAUTY & DURABILITY

Looking for a premium product that is versatile and user-friendly?

AristoMax topcoat is a high-end, water-white, non-yellowing formula specifically designed for interior wood surfaces that are exposed to heat, wear, and moisture. With an easy application, you can spray confidently on all types of cabinetry and furniture.

FinishWorks AristoMax conversion varnishes offer maximum aesthetics, durability, and application flexibility.

MAXIMUM





Durability





High-Build

PERFECT FOR:

- ✓ Kitchen cabinetry
- Residential and commercial furniture
- ✓ Architectural millwork
- ✓ Store fixtures and displays
- High-solids applications



Opaque basecoats that extend the life of your topcoat. These products are formulated for use as stand-alone white pigmented systems or to be tinted with recommended colorants.

Product Code	Sheen	Material VOC (g/L)	Weight (% Solids)	Volume (% Solids)	Pot Life	Spread (ft²/gal)
E29W9410+K	10	505.36	55.09	41.89	24	671.94
E29W9420+K	20	507.72	54.73	41.62	24	667.60
E29W9430+K	30	509.93	54.40	41.37	24	663.52
E29W9440+K	40	510.56	54.30	41.29	24	662.36
E29W9460+K	60	512.00	54.08	41.13	24	659.70
E29W9490+K	90	512.81	53.96	41.04	24	658.21

■ ARISTOMAX PLUS / HIGH-COVERAGE WHITE CV

Superior coverage. Tintable basecoats featuring "higher-hide" and ensuring proper adhesion for white and off-white colors.

Product Code	Sheen	Material VOC (g/L)	Weight (% Solids)	Volume (% Solids)	Pot Life (hr)	Spread (ft²/gal)
E29W9610+K	10	483.12	61.22	44.45	24	712.94
E29W9620+K	20	476.66	61.87	45.15	24	724.25
E29W9630+K	30	490.06	60.33	43.63	24	699.90
E29W9640+K	40	488.64	60.54	43.81	24	702.75
E29W9660+K	60	490.65	60.29	43.58	24	699.04

IARISTOMAX / **CLEAR TINT BASES**

Clear tint base for darker colors. This formula is designed for tinting mid to dark colors and enhancing the longevity of your finish.

Ë	Produc
SYST	E29C9
ED S	E29C9
IN	E29C9
₩ B	E29C9
<u>~</u>	E29C9

PIGMENTED SYSTEM

PIGMENTED SYSTEM

Product Code	Sheen	Material VOC (g/L)	Weight (% Solids)	Volume (% Solids)	Pot Life (hr)	Spread (ft²/gal)
E29C9110+K	10	519.81	48.82	40.19	24	644.71
E29C9120+K	20	535.89	46.80	38.40	24	615.97
E29C9130+K	30	519.56	48.55	40.20	24	644.81
E29C9140+K	40	525.11	47.86	39.58	24	634.90
E29C9145+K	45	525.19	47.84	39.57	24	634.76



ARISTOMAX / TOPCOATS

Maximize the look and protection. AristoMax topcoats offer superior resistance against moisture, chemicals, UV rays, abrasion, and general wear and tear. Available in a variety of options to achieve the perfect look without sacrificing durability.

Product Code	Sheen	Material VOC (g/L)	Weight (% Solids)	Volume (% Solids)	Pot Life (hr)	Spread (ft²/gal)
E29C9905+K	5	537.51	44.73	35.61	8	571.18
E29C9910+K	10	529.79	45.34	36.46	24	584.88
E29C9920+K	20	532.27	44.84	36.17	24	580.11
E29C9930+K	30	533.44	44.60	36.03	24	577.85
E29C9940+K	40	534.97	44.28	35.84	24	574.90
E29C9960+K	60	536.59	43.95	35.65	24	571.80
E29C9990+K	90	538.26	43.60	35.45	24	568.59

IARISTOMAX / **PRIMERS**

Fast-dry primers featuring great sand-ability. AristoMax primers provide a smooth, even surface offering enhanced adhesion. Available in high-solids formula.

	Product Code	Color	Material VOC (g/L)	Weight (% Solids)	Volume (% Solids)	Pot Life (hr)	Spread (ft²/gal)
PIGMEN SYSTE	P69W00057+K	White	362.29	54.78	35.68	8	572.33
PIG	P69W0050+K	HS White	461.18	64.19	46.23	8	741.57

IARISTOMAX / **SEALER**

A fast-dry sealer with excellent sand-ability and sag resistance. AristoMax sealer is applied prior to topcoat in order to achieve a uniform appearance. This product will help minimize issues such as wood grain raise and uneven absorption of your topcoat.

Product Code Material V(Weight	Volume	Pot Life	Spread
		(% Solids)	(% Solids)	(hr)	(ft²/gal)
E29C9000+K	618.49	36.08	28.94	8	464.12

IARISTOMAX / **CATALYST**


One catalyst to serve them all. AristoMax catalyst is compatible with all AristoMax products, helping to facilitate the curing and hardening process.





"Often folks come to us asking for something they've never seen before," says McFalls. "Being a leader in our industry requires that we strategically position ourselves to be the best at listening, learning, and doing."

The team utilizes its color design studio in Greensboro, NC to showcase the range of possibilities, and will soon be expanding this resource to other locations across the country. McFalls concludes, "We must provide the advantage that our industry, and more importantly our customers, didn't even realize they needed."






IGREAT PRODUCTS FOR A GREAT VALUE

Trying to achieve a professional look without breaking the bank? AristoVar is an excellent economic option providing a durable, next-generation wood finish. This water-white, post-catalyzed, lower-solids formula offers a unique, closer-to-the-wood look with a silky-to-the-touch feel.

AristoVar is a ready-to-spray application offering strong performance and protection against general wear and tear, moisture, and stains for kitchen cabinetry and furniture.



ARISTOVAR / TOPCOATS

Close-to-the-grain look. AristoVar topcoats provide excellent protection from moisture, chemicals, and abrasion, with great durability in high-traffic areas. This low-solids formula offers unique hanging and sanding characteristics. With a silky-smooth end-feel, these products will leave you with a beautiful finish.

	Product Code	Sheen	Material VOC	Weight (% Solids)	Volume (% Solids)	Pot Life (hr)	Spread (ft²/gal)
CLEAR STOLEIN	E29C8705+K	5	580.07	38.19	31.35	24	502.83
	E29C8710+K	10	570.93	39.03	32.26	24	517.43
	E29C8720+K	20	573.24	38.43	31.97	24	512.79
	E29C8730+K	30	573.14	38.31	31.96	24	512.63
	E29C8735+K	35	571.26	38.47	32.14	24	515.59
	E29C8740+K	40	567.24	38.84	32.54	24	522.02
	E29C8760+K	60	567.91	38.70	32.46	24	520.73
	E29C8790+K	90	573.80	37.83	31.82	24	510.35

ARISTOVAR / SEALER


Great sand-ability. AristoVar sealer is a fast-dry sealer that's easy to sand with great sag-resistance. This product assists in providing a smooth surface so your topcoat can be evenly applied.

œ	≥
⋖	щ
Щ	등
컹	×
	S

Product Code	Material VOC	Weight	Volume	Pot Life	Spread
	(g/L)	(% Solids)	(% Solids)	(hr)	(ft²/gal)
E29C0801B+K	639.05	31.42	25.90	8	415.42

ARISTOVAR / CATALYST

For a quick cure. AristoVar catalyst initiates a chemical reaction that assists in the curing and hardening process.



THE ULTIMATE SUCCESS OF ANY COLOR OR FINISH is the

passion it creates." - Rodney McFalls

Rodney McFalls and his color team rely on substantial market research to reveal how demographics, current events, and economics might be driving collective emotion. His team knows where and why certain color palettes are popular. They know how to incorporate a trend, while also considering its history and life cycle. This all adds up to a team who not only anticipates trends, but actively participates in creating them.







finishworks.com

FinishWorks is a leading
manufacturer and distributor
of industrial wood and metal
coatings. We are a recognized
leader in supplying tailored
coating solutions, combining
trend-setting finish design with
outstanding color consistency.