DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application.

Application is prohibited directly into sewers or drains or to any area like a gutter where drainage to sewers, storm drains, water bodies or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

Treatment of Preconstruction Lumber and Logs

General Information

Beetlejuice™ must be diluted with water before use. To prepare the spray, dilute Beetlejuice™ as shown in the following spray dilution chart:

SPRAY DILUTION CHART				
Gallons of spray mixture desired	Gallons of Beetlejuice™ to Use			
	0.5% Solution	0.75% Solution	1.0% Solution	
40	1/2	3/4	1	
80	1	1 1/2	2	
200	2 1/2	3 3/4	5	
400	5	7 1/2	10	
800	10	15	20	

Directions for Application

To protect unseasoned and seasoned lumber and logs from wood destroying insects, such as termites, Carpenter ants and beetles (ambrosia, powder-post, old house borers and others), totally treat wood with up to a 0.5% to 1.0% solution of Beetlejuice™. This solution can be applied by various methods including spraying, brushing, dipping, or pressure treatment. Frequent monitoring of dip and pressure systems are necessary to insure that the desired level of Beetlejuice™ is maintained. Wood can be handled after treatment when dry.

For dip treatments, the wood should be totally submersed in the solution until thoroughly wet and then allowed to dry in a suitable location. Dipping solutions to which Beetlejuice™ has been added should be agitated before use if left unused for long periods of time. Sediment debris, and other deposits should be periodically cleaned from tank.

Pressure treatments, the wood should be placed in the treatment chamber, the Beetlejuice™ solution added to the system pressurized up to 250 psi for up to one hour depending on the density and type of wood treatment. The target permethrin retention in wood is 500 to 1,000 ppm in the top 0.5 inch of wood or a loading of 0.0175 to 0.035 pounds permethrin/cubic foot of wood. After the pressure is released and the system drained, the wood should be placed in a suitable location for drying.

For spray treatments, the wood should be sprayed thoroughly including back and ends.

For brush treatment, all parts of wood surfaces should be thoroughly treated.

STORAGE AND DISPOSAL

Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

Storage

Do not store below 10°F, (-12°C)

Do not use or store near open flame or hot surfaces.

Keep out of reach of children and animals. Store in original containers only. Store in a cool dry place and avoid excess heat. Carefully open containers. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into food or drink containers. In case of a spill, avoid contact, isolate and keep out animals and unprotected persons. Confine spills. Call Chemtrec at 1-800-424-9300.

To confine spill: If liquid, dike surrounding area and absorb with sand, cat litter or commercial clay. If dry material, cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for guidance.

Container Disposal

Metal or Plastic Container: Non-refillable container: Do not reuse or refill this container. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank and drain for 10 seconds after flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds, pour rinsate into application equipment or mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Do not cut or weld metal containers.



BEETLEJUICE™

KEEP OUT OF REACH OF CHILDREN

WARNING

Aviso

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle (if you do not understand the label, find someone to explain it to you in detail).

EPA Reg. No. 279-3283-92617 EPA Est. No. 279-NY-1

ACTIVE INGREDIENT:	By Wt.
*Permethrin**	38.4%
ACTIVE INGREDIENTS***	61.6%
TOTAL	100.0%

*(3-Phenoxyphenyl) methyl (±) cis-trans 3- (2,2-dichloroethenyl)-2,2- dimethylcyclopropanecarboxylate

**cis/trans ratio: Max 55% (±) cis and min. 45% (±) trans

*** Contains xylene range aromatic solvents. Contains petroleum distillates.

Contains 3.2 pounds Permethrin per gallon

FIRST AID		
IF SWALLOWED	 Immediately call poison control center or doctor. Do not induce vomiting unless told to by the poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. 	
IF ON SKIN OR CLOTHING	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
IF INHALED	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. 	
IF IN EYES	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.	
HOTLINE NUMBER	Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-222-1222. for emergency treatment.	
NOTE TO PHYSICIAN	Contains petroleum distillates. Vomiting may cause aspiration pneumonia.	
See other panels for additional precautionary information.		

Sold By:

Kop-Coat, Inc. dba Kop-Coat Protection Products 3040 William Pitt Way Pittsburgh PA 15238 412-227-2700

Net Contents Gallons

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING - Causes skin irritation. Do not get on skin or clothing. Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with eyes. Harmful if inhaled. Avoid breathing vapors or spray mists.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are barrier laminate or viton. If you want more options, follow the instructions for Category G on an EPA chemical resistance category selection chart. All mixers, loaders, applicators and other handlers must wear:

- 1. Long-sleeved shirt and long pants.
- 2. Shoes plus socks.
- 3. Chemical-resistant gloves for all handlers (such as barrier laminate or vitron) [Selection Category G].
- Chemical-resistant apron for mixers/loaders, persons cleaning equipment and persons exposed to the concentrate.

USER SAFETY REQUIREMENTS

Follow manufacturers' instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this products concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove clothing/PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DISCLAIMER

To the extent consistent with applicable law, seller (whether manufacturer, distributor, or other) makes no warranty express or implied, including the implied warranty of merchantability AND IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE regarding this product except the composition as set forth in the ingredient statement herein, and shall not be liable for LOST PROFITS, LOST PRODUCTION, LABOR COSTS, TRANSPORTATION CHARGES, OR ANY special, consequential, INCIDENTAL OR DELAY damages, the exclusive remedy being the replacement of the product. To the extent consistent with applicable law, buyer or user assumes all risk of possession, handling or use of this material when such use and/or handling is contrary to label instructions.

12710/113/R11A/10312023